

LAKE SCARLET CT – ANURANG R-535

ANURANG R-535 is one of the organic pigments exclusively used in Paste Inks. This pigment exhibits good working properties, Light Fastness and a desirable hue in Paste Ink Applications. ANURANG R-535 is bronzier and more transparent than our ANURANG R-530. As seen below, this product provides good offset ink characteristics and excellent light fastness properties in Mass Tone.

TECHNICAL DATA

Colour Index No.	15585:1
Colour Index Pigment No.	Red 53:1
PHYSICAL PROPERTIES	
Specific Gravity (at 30°C)	1.55 - 1.75
pH of 10% Aqueous Suspension	7.00 - 8.5
% Volatile Matter	1.500 Max.
Bulk Density g/cc	0.30 - 0.40
Oil Absorption (Raw Linseed Oil A.V.< 1)	35.0 - 50.0
% Water Solubles	1.500 Max.
% Residue on Sieve (240 mesh)	0.500 Max.
Heat Stability (150°C / 20 min.)	Stable

FASTNESS CHARACTERISTICS (1 - Poor 5 - Excellent)	
I.P.A.	4
Ethyl Acetate	3
Water	5
Xylene	3
M.E.K.	3
Acid	4
Alkali	4
Light Fastness (1 - 8 Scale)	8(MT) 1 (TT 1:20)
OFFSET INK CHARACTERISTICS	
% Water Pick-up	50.0 Max.
Livering	Should Pass
APPLICATIONS	
Paints	
Printing Inks	*
Rubber	
Leather Pastes	
Linoleum	
PVC Leather Cloth	
Paper Coating	
Chalks / Crayons	
Plastics	

LEGEND

COLOUR	BLEEDING	HEAT STABILITY	LIGHTFASTNESS	APPLICATIONS	E - EXCELLENT
Y - YELLOW	SCALE (1-5)	SB : STABLE	SCALE (1-8)	*:RECOMMENDED/	VG - VERY GOOD
R - RED	5:NO BLEED	USB : UNSTABLE	1 - POOR	MAYBE USED	G - GOOD
W - WHITE	1:CONSIDERABLE BLEED		8 - EXCELLENT		F - FAIR
					P - POOR